

## 701 fancy chick starter mash

complete mash for chicks from hatching till 10 - 12 weeks old

# Feeding advice for chicken (breeding and showing)

Eggs

give no supplements to prevent fattines. colored feathers – give at least 6 – 8 weeks before you gather the hatching eggs (but preferably all year round) 716 fancy chicken breeder mash or 717 fancy chicken breeder pellet. white feathers

give white animals 80% 703 white feathers starterpellet (2mm) and 20% wheat and grit.

#### chicks

provide Garvo chick feed up till the 10th to 12th week. From then on, depending on the breeding characteristics, hens and cocks should be separately cared for. make sure there's enough warmth and oxygen. colored feathers –

give chicks from their first day on 701 fancy chick startermash or 702 fancy chick starterpellet (2mm). give breeds with difficult early development 3 weeks long 1075 alfastart chicks. white feathers –

give white animals till laying 703 white feathers starterpellet (2mm).

#### breeding cocks

colored feathers -

give cockerels from 10 – 12 weeks old 723 fancy cockerel grower pellet until the shows. This cockerel pellet contains extra carotene for a beautiful yellow leg color. if this extra carotene is not desired for the breed, then feed 702 fancy chick starterpellet (2mm) till after the shows. white feathers –

for white feathered animals there is 703 white feathers starterpellet (2mm) and 725 cockerel grower white feather.

#### breeding hens

colored feathers -

give hens from 10 – 12 weeks old until their first egg 714 fancy young hen grower pellet or 715 fancy young hen grower mash. 714 and 715 contain extra carotene for enhancing the yellow leg color. if the extra carotene is not desired in the breed, give 702 fancy starter chick minipellet (2mm) until they lay. white feathers –

give white feathered animals 703 white feathers starter pellet.







#### breeding heavy and fighting breeds

add about 1/3 part 1075 alfastart chick to 701 or 702 fancy chick starterpellet (2mm) or to 714, 715, 723 fancy cockerel growing pellet or give 1080 alfamix chick.

#### during show season

give hens and cocks additional feed using 10 – 15% 704 mixed corn special. This contains extra sunflowerseeds for even more shine. when the hens are fully laying, switch over to breeder feed plus 15% 704 mixed corn special. The change in feeding keeps the animals in good condition for showing.

## outside of showing season

keep the breeders in perfect condition with 716 fancy chicken breeder mash or 717 fancy chicken breeder pellet. give no supplementation to prevent fattiness. Lean hens start laying more easily.

## **Composition:**

maize, soya dehulled extracted toasted, wheat, maize gluten feed, dehydrated alfalfa meal, soja oil, brewer's yeast, shell grit, lecithin, organic acids

## **Analytical constituents/kg**

crude protein 18,7 %, crude fat 4,6 %, crude fiber 4,8 %, crude ash 6,1 %, calcium 10,45 g, phosphorus 6,52 g, sodium 1,63 g, lysin 8,87 g, methionin 4,12 g

### **Addition/kg Vitamins**

3a672a Vitamin(e) A 10000 IE, 3a671 Vitamin(e) D3 2000 IE, 3a700 Vitamin(e) E 87 mg

## Addition/kg Traces

copper (3b413 Cu-chelate of glycine hydrate) 14 mg, zinc (3b607 Zn-chelate of glycine hydrate) 47 mg, manganese (3b506 Mn-chelate of glycine hydrate) 95 mg, iron (3b103 Fe-sulphate, monohydrate) 68 mg, iodine (3b202 calcium iodate anhydrous) 1 mg, selenium (3b8.12 Se-organic CNCM 1-3399) 0.15 mg